



MEDICARE FORM

Renflexis® (infliximab-abda) Injectable Medication Precertification Request

Page 1 of 5

(All fields must be completed and legible for precertification review.)

For New Jersey HMO D-SNP:

FAX: 1-833-322-0034

PHONE: 1-844-362-0934

For other lines of business:

Please use other form.

Note: Renflexis is non-preferred for select indications on MAPD plans. Preferred products vary based on indication. Renflexis is not subject to step therapy on MA plans or for ulcerative colitis on MAPD plans. See section G below.

Please indicate: [ ] Start of treatment: Start date \_\_\_/\_\_\_/\_\_\_ [ ] Continuation of therapy: Date of last treatment \_\_\_/\_\_\_/\_\_\_

Precertification Requested By: \_\_\_\_\_ Phone: \_\_\_\_\_ Fax: \_\_\_\_\_

Form sections: A. PATIENT INFORMATION, B. INSURANCE INFORMATION, C. PRESCRIBER INFORMATION, D. DISPENSING PROVIDER/ADMINISTRATION INFORMATION, E. PRODUCT INFORMATION, F. DIAGNOSIS INFORMATION, G. CLINICAL INFORMATION

Continued on next page



# MEDICARE FORM

## Renflexis® (infliximab-abda) Injectable Medication Precertification Request

Page 2 of 5

(All fields must be completed and legible for precertification review.)

For New Jersey HMO D-SNP:

FAX: 1-833-322-0034

PHONE: 1-844-362-0934

For other lines of business:

Please use other form.

**Note: Renflexis is non-preferred for select indications on MAPD plans. Preferred products vary based on indication. Renflexis is not subject to step therapy on MA plans or for ulcerative colitis on MAPD plans. See section G.**

Patient First Name	Patient Last Name	Patient Phone	Patient DOB
--------------------	-------------------	---------------	-------------

**G. CLINICAL INFORMATION (continued)** – Required clinical information must be completed in its entirety for all precertification requests.

Yes  No Will Renflexis (infliximab-abda) be used concomitantly with apremilast, tofacitinib, or other biologic DMARDs (e.g., adalimumab, certolizumab)?

Yes  No Has the patient been tested for TB with a PPD test, interferon-release assay (IGRAs) or chest x-ray within 6 months of initiation a biologic therapy?

(check all that apply):  PPD test  interferon-gamma assay (IGRA)  chest x-ray

Please enter results of the TB test:  positive  negative  unknown

If positive, Does the patient have latent or active TB?  latent  active

If latent TB,  Yes  No Will TB treatment be started before initiation of therapy with Renflexis (infliximab-abda)?

**Ankylosing Spondylitis and Other Spondyloarthropathies**

Please select which of the following applies to the patient:  Ankylosing spondylitis  Other spondyloarthropathy

Yes  No Is there evidence that the disease is active?

Yes  No Is there evidence of inflammatory disease?

Yes  No Has the patient had an ineffective response to two or more non-steroidal anti-inflammatory drugs (NSAIDs)?

→ Please provide the names and length of treatment:

NSAID #1: \_\_\_\_\_

NSAID #2: \_\_\_\_\_

**Behcet's Disease**

Yes  No Is the disease refractory to corticosteroids or immunosuppressive drugs?

→ Please indicate:  corticosteroids  immunosuppressive drugs

Please provide the name of drug tried: \_\_\_\_\_

**Behcet's Uveitis**

Yes  No Is the disease refractory?

**Chronic Cutaneous/Pulmonary Sarcoidosis**

Yes  No Has the patient remained symptomatic despite treatment with steroids?

→ Please provide the daily dose of steroids: Dose: \_\_\_\_mg

Yes  No Has the patient remained symptomatic despite treatment with immunosuppressants?

→ Please select:  azathioprine  cyclophosphamide  methotrexate  Other, please explain: \_\_\_\_\_

**Crohn's Disease**

Yes  No Does the patient have a diagnosis of fistulizing Crohn's disease?

→ Please indicate how long the patient has been diagnosed with fistulizing Crohn's disease:

Yes  No Does the patient have a diagnosis of Crohn's disease?

→ Please indicate the severity of the patient's disease:  mild  moderate  severe

Yes  No Does the patient have a documented diagnosis of active Crohn's disease?

→ Please select all signs/symptoms that apply:

abdominal pain  arthritis  bleeding  diarrhea  internal fistulae  intestinal obstruction

megacolon  perianal disease  spondylitis  weight loss  none of the above

Yes  No Have the Crohn's disease symptoms remained active despite treatment with 6-mercaptopurine, azathioprine, or corticosteroids?

→ Please check all medications that apply:  6-mercaptopurine  azathioprine

corticosteroids- please identify:  prednisone  hydrocortisone  methylprednisolone  Other: \_\_\_\_\_

**Hidradenitis Suppurativa**

Please indicate the stage of hidradenitis suppurativa:  Hurley stage I (mild disease)  Hurley stage II (moderate disease)

Hurley stage III (severe disease)  Unknown

Yes  No Has the patient completed a trial of antibiotics?

→  Yes  No Does the patient have a contraindication to oral antibiotics?

→  Yes  No Was the treatment with antibiotics ineffective?

**Immune Checkpoint Inhibitor- Induced Toxicities**

Please indicate therapy used:

CTLA-4: Please select drug:  ipilimumab  Other: \_\_\_\_\_

PD-1: Please select drug:  nivolumab  pembrolizumab  Other: \_\_\_\_\_

PD-L1: Please select drug:  atezolizumab  avelumab  durvalumab  Other: \_\_\_\_\_

Other, please explain: \_\_\_\_\_

Yes  No Do the immune checkpoint inhibitor-induced toxicities persist despite discontinuation of immune checkpoint inhibitors that target CTLA-4 or PD-1/PD-L1 (e.g., atezolizumab, ipilimumab, nivolumab, pembrolizumab)?

Continued on next page



# MEDICARE FORM

## Renflexis® (infliximab-abda) Injectable Medication Precertification Request

Page 3 of 5

(All fields must be completed and legible for precertification review.)

For New Jersey HMO D-SNP:

FAX: 1-833-322-0034

PHONE: 1-844-362-0934

For other lines of business:

Please use other form.

**Note: Renflexis is non-preferred for select indications on MAPD plans. Preferred products vary based on indication. Renflexis is not subject to step therapy on MA plans or for ulcerative colitis on MAPD plans. See section G.**

Patient First Name	Patient Last Name	Patient Phone	Patient DOB
--------------------	-------------------	---------------	-------------

**G. CLINICAL INFORMATION (continued) – Required clinical information must be completed in its entirety for all precertification requests.**

**Please indicate the toxicity (check all that apply):**

- Cardiac  
Which life-threatening immune checkpoint inhibitor-induced cardiac toxicities does the patient have?  
Please select:  arrhythmias  impaired ventricular function  myocarditis  pericarditis
- Colitis  
Please indicate the severity of the immune checkpoint inhibitor-induced colitis:  mild  moderate  severe  
Please indicate which of the following symptoms the patient exhibits:  7 or more stools per day over baseline  ileus  fever  None  
 Yes  No Has the patient been treated with corticosteroids? **If yes**, please indicate the corticosteroid name: \_\_\_\_\_  
 Yes  No Did the patient show improvement after 48 hours of corticosteroids?
- Elevated serum creatinine/acute renal failure  
Please indicate the severity of the disease:  
 Severe (creatinine greater than 3 times baseline or greater than 4 mg/dL)  
 Life-threatening (creatinine greater than 6 times baseline; dialysis indicated)  
 None of the above  
 Yes  No Has the patient been treated with corticosteroids?  
    \_\_\_\_\_ → Please indicate the name and length of therapy: Name: \_\_\_\_\_ Length:  Less than 1 week  1 week or greater  
 Yes  No Did the creatinine level remain greater than 2 to 3 times above baseline after 1 week of treatment with corticosteroids?
- Inflammatory arthritis  
 Yes  No Does the patient have refractory or severe disease?  refractory disease  severe disease  
 Yes  No Is the patient responding to corticosteroids or anti-inflammatory agents?  anti-inflammatory agents  corticosteroids
- Pneumonitis  
Please indicate the severity of the disease:  mild  moderate  severe  
 Yes  No Has the patient been treated with corticosteroids for pneumonitis?  
    \_\_\_\_\_ → Please indicate the corticosteroid name: \_\_\_\_\_  
 Yes  No Did the patient show improvement after 48 hours of corticosteroids?

**Juvenile Idiopathic Arthritis (Juvenile Rheumatoid Arthritis)**

- Please indicate the severity of the patient's disease:  mild  moderate  severe
- Yes  No Is there evidence that the disease is active?
- Yes  No Does the patient have clinical documentation of polyarticular juvenile idiopathic arthritis (JRA)?
- Yes  No Was treatment with Enbrel (etanercept) ineffective?
- Yes  No Does the patient have a documented intolerance to Enbrel (etanercept)?
- Yes  No Does the patient have a documented contraindication to Enbrel (etanercept)?

**Noninfectious Uveitis**

- Yes  No Was the treatment with corticosteroids ineffective?  
    \_\_\_\_\_ → Please indicate the corticosteroid name: \_\_\_\_\_
- Yes  No Was the treatment with immunosuppressive drugs (e.g., azathioprine, cyclosporine, or methotrexate) ineffective?  
    \_\_\_\_\_ → Please provide the name: \_\_\_\_\_
- Yes  No Does the patient have a documented intolerance to corticosteroids or immunosuppressive drugs?  
    \_\_\_\_\_ → Please indicate the drug(s) the patient has intolerance to:  corticosteroids  immunosuppressive drugs
- Yes  No Does the patient have a documented contraindication to corticosteroids or immunosuppressive drugs?  
    \_\_\_\_\_ → Please indicate the drug(s) the patient has contraindication to:  corticosteroids  immunosuppressive drugs

**Plaque Psoriasis**

- Please indicate the severity of the patient's disease:  mild  moderate  severe
- Yes  No Is there evidence that the disease is active?
- Yes  No Is there clinical documentation of chronic disease?
- Yes  No Is the patient a candidate for systemic therapy or phototherapy?  
    \_\_\_\_\_ → Please select:  phototherapy  systemic therapy  phototherapy and systemic therapy
- Please provide the patient's Psoriasis Area and Severity Index (PASI) score: \_\_\_\_\_
- Please indicate the percentage of body surface area affected by plaque psoriasis: \_\_\_\_\_%
- Yes  No Does the plaque psoriasis involve sensitive areas? **If yes**, please select:  hands  feet  face  genitals
- Yes  No Was the trial with systemic conventional DMARD(s) (e.g., methotrexate, acetretin, or cyclosporine) ineffective?  
    \_\_\_\_\_ →  Yes  No Was the trial with systemic conventional DMARD(s) not tolerated?  
    \_\_\_\_\_ →  Yes  No Are systemic conventional DMARDs contraindicated?  
    \_\_\_\_\_ → Please select:  acitretin  cyclosporine  methotrexate  mycophenolate  None of the above

Continued on next page



# MEDICARE FORM

## Renflexis® (infliximab-abda) Injectable Medication Precertification Request

Page 4 of 5

(All fields must be completed and legible for precertification review.)

For New Jersey HMO D-SNP:

FAX: 1-833-322-0034

PHONE: 1-844-362-0934

For other lines of business:

Please use other form.

**Note: Renflexis is non-preferred for select indications on MAPD plans. Preferred products vary based on indication. Renflexis is not subject to step therapy on MA plans or for ulcerative colitis on MAPD plans. See section G.**

Patient First Name	Patient Last Name	Patient Phone	Patient DOB
--------------------	-------------------	---------------	-------------

**G. CLINICAL INFORMATION (continued)** – Required clinical information must be completed in its entirety for all precertification requests.

Yes  No Was the trial with phototherapy ineffective?  
 Yes  No Was the trial with phototherapy not tolerated?  
 Yes  No Is phototherapy contraindicated?  
 Please check all that apply:  Psoralens (methoxsalen, trioxsalen) with UVA light (PUVA)  
 UVB with coal tar or dithranol  
 UVB (standard or narrow-band)  
 Home UVB  
 None of the above  
 Please indicate the length of trial:  Less than 1 month  1 month  2 months  3 months or greater

**Psoriatic Arthritis**  
 Yes  No Is there evidence that the disease is active?  
 Yes  No Does the patient have **axial** psoriatic arthritis?  
 Yes  No Was the treatment with 2 or more non-steroidal anti-inflammatory drugs (NSAIDs) ineffective?  
 Please provide the names and length of treatment:  
 NSAID #1: \_\_\_\_\_  
 NSAID #2: \_\_\_\_\_  
 Yes  No Does the patient have **non-axial** psoriatic arthritis?  
 Yes  No Does the patient have severe disease at presentation, defined as severe disability at onset with erosive disease involving multiple joints?  
 Yes  No Was the treatment with methotrexate ineffective?  
 Yes  No Was treatment with methotrexate not tolerated or contraindicated?  
 Please select:  not tolerated  contraindicated  
 Yes  No Was treatment with another conventional DMARD ineffective?  
 Please select:  cyclophosphamide  cyclosporine  
 hydroxychloroquine  leflunomide  
 sulfasalazine  Other, please explain: \_\_\_\_\_

**Pyoderma Gangrenosum**  
 Yes  No Does the patient have a documented diagnosis of refractory pyoderma gangrenosum?

**Reactive Arthritis (Reiter's syndrome) or Inflammatory Bowel Disease Arthritis (Enteropathic Arthritis)**  
 Please select which applies to the patient:  reactive arthritis (Reiter's syndrome)  inflammatory bowel disease arthritis (enteropathic arthritis)  
 Yes  No Was the treatment with methotrexate ineffective?  
 Yes  No Was the treatment with methotrexate not tolerated?  
 Yes  No Does the patient have a contraindication to methotrexate?  
 Yes  No Was the treatment with sulfasalazine ineffective?  
 Yes  No Was the treatment with sulfasalazine not tolerated?  
 Yes  No Does the patient have a contraindication to sulfasalazine?  
 Yes  No Was the treatment with non-steroidal anti-inflammatory drugs (NSAIDs) ineffective?  
 Yes  No Was the treatment with non-steroidal anti-inflammatory drugs (NSAIDs) not tolerated?  
 Yes  No Does the patient have a contraindication to non-steroidal anti-inflammatory drugs (NSAIDs)?  
 Please provide the name: \_\_\_\_\_

**Retinal Vasculitis**  
 Yes  No Was treatment with a conventional DMARD ineffective?  
 Yes  No Was treatment with a conventional DMARD not tolerated or contraindicated?  not tolerated  contraindicated

**Rheumatoid Arthritis**  
 Please indicate the severity of the patient's rheumatoid arthritis:  mild  moderate  severe  
 Yes  No Is there evidence that the disease is active?  
 Yes  No Will the patient be using Renflexis (infliximab-abda) in combination with methotrexate?  
 Yes  No Was treatment with methotrexate ineffective?  
 Yes  No Was treatment with methotrexate not tolerated or contraindicated?  not tolerated  contraindicated  
 Yes  No Was treatment with another conventional DMARD (other than methotrexate) ineffective?  
 Please select:  azathioprine  hydroxychloroquine  leflunomide  sulfasalazine

Continued on next page



# MEDICARE FORM

## Renflexis® (infliximab-abda) Injectable Medication Precertification Request

Page 5 of 5

(All fields must be completed and legible for precertification review.)

For New Jersey HMO D-SNP:

FAX: 1-833-322-0034

PHONE: 1-844-362-0934

For other lines of business:

Please use other form.

**Note: Renflexis is non-preferred for select indications on MAPD plans. Preferred products vary based on indication. Renflexis is not subject to step therapy on MA plans or for ulcerative colitis on MAPD plans. See section G.**

Patient First Name	Patient Last Name	Patient Phone	Patient DOB
--------------------	-------------------	---------------	-------------

**G. CLINICAL INFORMATION (continued) – Required clinical information must be completed in its entirety for all precertification requests.**

**Sarcoidosis**

Yes  No Is the disease refractory to corticosteroids?

**Ulcerative Colitis**

Yes  No Is the patient hospitalized with active fulminant ulcerative colitis?

Please indicate the severity of the patient's ulcerative colitis:  mild  moderate  severe

Yes  No Is there evidence that the disease is active?

Yes  No Is the patient refractory to immunosuppression with corticosteroids (e.g., hydrocortisone, methylprednisolone, prednisone)?

Yes  No Does the patient require continuous immunosuppression with corticosteroids (e.g., hydrocortisone, methylprednisolone, prednisone)?

Name and dose: Name: \_\_\_\_\_ Dose: \_\_\_\_\_

Please indicate the route:  Oral  IV

Name and dose: Name: \_\_\_\_\_ Dose: \_\_\_\_\_

Please indicate the route:  Oral  IV

Yes  No Was treatment with immunosuppressant agent (e.g., azathioprine, 6-mercaptopurine) ineffective?

Yes  No Was treatment with immunosuppressant agent (e.g., azathioprine, 6-mercaptopurine) not tolerated or contraindicated?

Please select:  not tolerated  contraindicated

Please select:  6-mercaptopurine  azathioprine  cyclosporine

Yes  No Was treatment with 5-aminosalicylic acid agents (e.g., balsalazide, mesalamine, sulfasalazine) ineffective?

Yes  No Was treatment with 5-aminosalicylic acid agents (e.g., balsalazide, mesalamine, sulfasalazine) not tolerated or contraindicated?

Please select:  not tolerated  contraindicated

Please select:  Colazal (balsalazide)  Ariso, Asacal, Delzicol, Lialda, Pentasa, Rowasa, Canasa (mesalamine)  Azulfidine (sulfasalazine)  Other, please explain: \_\_\_\_\_

Please select the symptoms the patient exhibit:  more than 10 stools per day  continuous bleeding  abdominal pain  distension  acute, severe toxic symptoms, including fever and anorexia

**For Continuation of Therapy (clinical documentation required for all requests):**

Please indicate the length of time on Renflexis (infliximab-abda): \_\_\_\_\_

Yes  No Is this continuation request a result of the patient receiving samples of Renflexis (infliximab-abda)?

Yes  No Will Renflexis (infliximab-abda) be used concomitantly with apremilast, tofacitinib, or other biologic DMARDs (e.g., adalimumab, certolizumab)?

Yes  No Is there clinical documentation supporting disease stability?

Yes  No Is there clinical documentation supporting disease improvement?

Yes  No Does the patient have any risk factors for TB?

Yes  No Has the patient had a TB test within the past year?

(check all that apply):  PPD test  interferon-gamma assay (IGRA)  chest x-ray

Please enter the results of the TB test:  positive  negative  unknown

Yes  No Has the patient received Renflexis (infliximab-abda) within the past 6 months?

Yes  No Does the patient have a documented severe and/or potentially life-threatening adverse event that occurred during or following the previous infusion?

Yes  No Could the adverse reaction be managed through pre-medication in the home or office setting?

**For Crohn's disease, Juvenile idiopathic arthritis, Plaque psoriasis, and Rheumatoid arthritis, Ulcerative colitis only:**

Please indicate the severity of the disease at baseline (pretreatment with Renflexis (infliximab-abda)):  mild  moderate  severe

**H. ACKNOWLEDGEMENT**

Request Completed By (Signature Required): \_\_\_\_\_ Date: \_\_\_\_/\_\_\_\_/\_\_\_\_

Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties.

The plan may request additional information or clarification, if needed, to evaluate requests.