

SoonerSelect



Zepatier [®] (Elbasvir/Grazoprevir) Initiation Prior Authorization Form				
Men	nber Name: Date	of Birth:	Member ID#:	
Pharmacy NPI: Pharmacy Pl				
Pharmacy Name:Pharm		harmacist Name:	nacist Name:	
Pres	scriber NPI: Prescriber Name		Specialty:	
Pres	scriber Phone: Prescriber Fax	:	_ Drug Name:	
NDC: Start Date:				
Clinical Information				
1.	HCV Genotype (including subtype): Date Determined: If the member has genotype 1a, does the member have the presence of virus with NS5A resistance-associated			
2.	If the member has genotype 1a, does the member have the presence of virus with NS5A resistance-associated			
З	polymorphisms? Yes No METAVIR Equivalent Fibrosis Stage: Testing Type:			
4.	. Pre-treatment viral load in the last 12 months: Date Taken:			
	For METAVIR score of <f1, 1st="" 2nd="" 6="" after="" at="" chronic="" confirm="" diagnosis="" hcv="" least="" months="" must="" td="" test="" test.<=""></f1,>			
5	Prior pre-treatment viral load or antibody test: Date Taken: Does member have decompensated hepatic disease or Child-Pugh B or C? Yes No			
5. 6.	Is the member currently on hospice or does the member have a limited life expectancy (less than 12 months) that			
	cannot be remediated by treating HCV? Yes No			
7.	7. Has the member been evaluated by a gastroenterologist, infectious disease specialist, or a transplant specialist			
	within the past 3 months? Yes No			
	9. Has the member been previously treated for hepatitis C? Yes No			
	10. If yes, please indicate previous treatment regimen and reason for failure (relapser, null-responder, partial			
responder):				
therapy):				
Zepatier [®] 50mg/100mg once daily x 84 days (12 weeks)				
	Zepatier [®] 50mg/100mg once daily with weight	-based ribavirin x 8	4 days (12 weeks)	
	Zepatier [®] 50mg/100mg once daily with weight-based ribavirin x 112 days (16 weeks)			
Other:Other:				
13. Has the member been counseled on the harms of illicit IV drug use and alcohol use? Yes No				
14. Has the member initiated immunization with the hepatitis A and B vaccines? Yes No				
15. For women of childbearing potential (and male patients with female partners of childbearing potential):				
Patient is not pregnant (or a male with a pregnant female partner) and not planning to become pregnant during treatment or within 6 months of completing treatment				
Agreement that partners will use two forms of effective non-hormonal contraception during treatment and for				
	at least 6 months after completing treatment.			
Verification that monthly pregnancy tests will be performed throughout treatment for ribavirin users 16. Is the member taking any of the following medications: phenytoin, carbamazepine, rifampin, St. John's wort,				
efavirenz, atazanavir, darunavir, lopinavir, saquinavir, tipranavir, cyclosporine, nafcillin, ketoconazole, bosentan,				
etravirine, elvitegravir/cobicstat/emtricitabine/tenofovir, or modafinil? Yes No				
17. Have all other clinically significant issues been addressed prior to starting therapy? Yes No No 18. Will member's ALT levels be monitored prior to initiation, at week 8, and as indicated thereafter? Yes No				
18. Will member's ALT levels be monitored prior to initiation, at week 8, and as indicated thereafter? Yes <u>No</u> <u>Members must be adherent for continued approval. Treatment gaps of therapy longer than 3 days will result in</u>				
denial of payment for subsequent requests for continued therapy. Refills must be prior authorized.				
Dressviker Circustures				
Prescriber Signature: Has the member been counseled on appropriate use of Zepa		Datier™ therapy?	Date: tier™ therapy? Yes No	
Pha	Pharmacist Signature: Date:			
Please do not send in chart notes. Specific information/documentation will be requested if necessary. Failure to complete this form in full will result in processing delays. By signature, the prescriber or pharmacist confirms the above information is accurate.				
			<u>CONFIDENTIALITY NOTICE</u> uding any attachments, contains information which is confi-	
SureScripts. All requested data must be provided. Incomplete			f you are not the intended recipient, be aware that any dis- ibution, or use of the contents of this information is prohibit-	
	ns or forms without the chart notes will be returned. Pharmacy coverage Guidelines are available at AetnaBetterHealth.com/	ed. f you have receiv	ed this document in error, please notify the sender immedi- o arrange for the return of the transmitted documents or to	
Oklahoma verify their destruction.				