



AETNA BETTER HEALTH®
Coverage Policy/Guideline

Name: Cinqair

Page: 1 of 4

Effective Date: 2/1/2024

Last Review Date: 11/2023

| | | | |
|-------------|--|--|---------------------------------------|
| Applies to: | <input type="checkbox"/> Illinois | <input type="checkbox"/> Florida | <input type="checkbox"/> Michigan |
| | <input type="checkbox"/> New Jersey | <input type="checkbox"/> Maryland | <input type="checkbox"/> Florida Kids |
| | <input type="checkbox"/> Pennsylvania Kids | <input checked="" type="checkbox"/> Virginia | <input type="checkbox"/> Texas |

Intent:

The intent of this policy/guideline is to provide information to the prescribing practitioner outlining the coverage criteria for Cinqair under the patient's prescription drug benefit.

Description:

Cinqair is indicated for the add-on maintenance treatment of patients with severe asthma aged 18 years and older with an eosinophilic phenotype.

Limitations of Use:

- Not for treatment of other eosinophilic conditions
- Not for the relief of acute bronchospasm or status asthmaticus

All other indications are considered experimental/investigational and not medically necessary.

If the member is a current smoker or vaper, they should be counseled on the harmful effects of smoking and vaping on pulmonary conditions and available smoking and vaping cessation options.

Applicable Drug List:

Cinqair

Policy/Guideline:

Criteria for Initial Approval:

Severe Eosinophilic Phenotype Asthma

A. Submission of the following information is necessary to initiate the prior authorization review:

1. Member's chart or medical record showing pretreatment blood eosinophil count, dependence on systemic corticosteroids if applicable.
2. Chart notes, medical record documentation, or claims history supporting previous medications tried including drug, dose, frequency, and duration.

B. Authorization may be granted for members 18 years of age or older when ALL the following criteria are met:

1. Member has previously received a biologic drug indicated for asthma
 - a. Note: Requests will require that the patient is unable to take the required number of formulary alternatives (total of 3) for the given diagnosis due to a



AETNA BETTER HEALTH®
Coverage Policy/Guideline

Name: Cinqair

Page: 2 of 4

Effective Date: 2/1/2024

Last Review Date: 11/2023

| | | | |
|-------------|--|--|---------------------------------------|
| Applies to: | <input type="checkbox"/> Illinois | <input type="checkbox"/> Florida | <input type="checkbox"/> Michigan |
| | <input type="checkbox"/> New Jersey | <input type="checkbox"/> Maryland | <input type="checkbox"/> Florida Kids |
| | <input type="checkbox"/> Pennsylvania Kids | <input checked="" type="checkbox"/> Virginia | <input type="checkbox"/> Texas |

trial and inadequate treatment response or intolerance, or a contraindication. Documentation is required for approval.

2. Medication must be prescribed by or in consultation with an allergist, immunologist, or pulmonologist
3. Member will NOT use the requested medication concomitantly with any other biologic drug or targeted synthetic drug for the same indication.

OR

Authorization may be granted for treatment of asthma when ALL the following criteria are met:

1. Member is 18 years of age or older.
2. Medication must be prescribed by or in consultation with an allergist, immunologist, or pulmonologist
3. Member meets EITHER of the following criteria:
 - a. Member has baseline blood eosinophil count of at least 400 cells per microliter; or
 - b. Member is dependent on systemic corticosteroids
4. Member has uncontrolled asthma as demonstrated by experiencing at least ONE of the following within the past year:
 - a. Two or more asthma exacerbations requiring oral or injectable corticosteroid treatment.
 - b. One or more asthma exacerbation resulting in hospitalization or emergency medical care visit.
 - c. Poor symptom control (frequent symptoms or reliever use, activity limited by asthma, night waking due to asthma).
5. Member has inadequate asthma control despite current treatment with BOTH of the following medications at optimized doses:
 - a. High dose inhaled corticosteroid
 - b. Additional controller (i.e., long acting beta₂-agonist, long-acting muscarinic antagonist, leukotriene modifier, or sustained-release theophylline)
6. Member will continue to use maintenance asthma treatments (e.g., inhaled corticosteroid, additional controller) in combination with Cinqair.
7. Member will NOT use the requested medication concomitantly with any other biologic drug or targeted synthetic drug for the same indication.

Criteria for Continuation of Therapy:



AETNA BETTER HEALTH®
Coverage Policy/Guideline

Name: Cinqair

Page: 3 of 4

Effective Date: 2/1/2024

Last Review Date: 11/2023

| | | | |
|-------------|--|--|---------------------------------------|
| Applies to: | <input type="checkbox"/> Illinois | <input type="checkbox"/> Florida | <input type="checkbox"/> Michigan |
| | <input type="checkbox"/> New Jersey | <input type="checkbox"/> Maryland | <input type="checkbox"/> Florida Kids |
| | <input type="checkbox"/> Pennsylvania Kids | <input checked="" type="checkbox"/> Virginia | <input type="checkbox"/> Texas |

Severe Eosinophilic Phenotype Asthma

A. Submission of the following information is necessary for the continuation of the prior authorization review:

1. Chart notes or medical record documentation supporting improvement in asthma control.

B. Authorization may be granted for treatment of asthma when ALL the following criteria are met:

1. Member is 18 years of age or older
2. Medication must be prescribed by or in consultation with an allergist, immunologist, or pulmonologist
3. Asthma control has improved on Cinqair treatment as demonstrated by at least ONE of the following:
 - a. A reduction in the frequency and/or severity of symptoms and exacerbations.
 - b. A reduction in the daily maintenance oral corticosteroid dose.
4. Member will continue to use maintenance asthma treatments (e.g., inhaled corticosteroid, additional controller) in combination with Cinqair.
5. Member will NOT use the requested medication concomitantly with any other biologic drug or targeted synthetic drug for the same indication.

Approval Duration and Quantity Restrictions:

Initial Approval: 6 months

Renewal Approval: 12 months

Initial Quantity Level Limit:

Cinqair 100 mg/10 mL (10 mg/mL) single use vial
3 vials per 28 days

Renewal Quantity Level Limit:

Cinqair 100 mg/10 mL (10 mg/mL) single use vial
6 vials per 28 days

References:

1. Cinqair [package insert]. West Chester, PA: Teva Respiratory, LLC; February 2020.
2. Castro M, Zangrilli J, Wechsler ME, et al. Reslizumab for inadequately controlled asthma with elevated blood eosinophil counts: results from two multicentre, parallel, double-blind, randomised, placebo-controlled, phase 3 trials. *Lancet Respir Med.* 2015;3(5):355-366.



AETNA BETTER HEALTH®
Coverage Policy/Guideline

Name: Cinqair Page: 4 of 4

Effective Date: 2/1/2024 Last Review Date: 11/2023

| | | | |
|-------------|--|--|---------------------------------------|
| Applies to: | <input type="checkbox"/> Illinois | <input type="checkbox"/> Florida | <input type="checkbox"/> Michigan |
| | <input type="checkbox"/> New Jersey | <input type="checkbox"/> Maryland | <input type="checkbox"/> Florida Kids |
| | <input type="checkbox"/> Pennsylvania Kids | <input checked="" type="checkbox"/> Virginia | <input type="checkbox"/> Texas |

3. Global Initiative for Asthma (GINA). Global Strategy for Asthma Management and Prevention. 2021 update. Available at: <https://ginasthma.org/wp-content/uploads/2021/05/GINA-Main-Report-2021-V2-WMS.pdf>. Accessed March 11, 2022.
4. American Academy of Allergy, Asthma & Immunology (AAAAI) 2020 Virtual Annual Meeting. Available at: <https://annualmeeting.aaaai.org/>. Accessed March 14, 2022.
5. Cloutier MM, Dixon AE, Krishnan JA, et al. Managing asthma in adolescents and adults: 2020 asthma guideline update from the National Asthma Education and Prevention Program. JAMA. 2020;324(22):2301-2317.