			*ae	etna ^m			
AETNA BE	TTER HEALTH®						
Coverage Policy/Guideline							
Name: POMBILITI		aglucosidase alfa-atga)	Page:	1 of 2			
Effective Date: 7/15/2024		Last Review Date:	5/2024				
Applies		□ Florida	☐ New Jersey				
Applies to:			🛮 Pennsylvania Kids				
	☐ Michigan		☐ Kentucky PRMD				

Intent:

The intent of this policy/guideline is to provide information to the prescribing practitioner outlining the coverage criteria for Pombiliti under the patient's prescription drug benefit.

Description:

FDA-Approved Indication

Pombiliti is indicated, in combination with Opfolda, for the treatment of adult patients with late-onset Pompe disease (lysosomal acid alpha-glucosidase [GAA] deficiency) weighing greater than or equal to 40 kg and who are not improving on their current enzyme replacement therapy (ERT).

All other indications are considered experimental/investigational and not medically necessary.

Applicable Drug List:

Pombiliti

Policy/Guideline:

Documentation

Submission of the following information is necessary to initiate the prior authorization review:

A. Initial requests:

Acid alpha-glucosidase enzyme assay or genetic testing results supporting diagnosis.

B. Continuation requests:

Chart notes documenting a positive response to therapy (e.g., improvement, stabilization, or slowing of disease progression for motor function, walking capacity, respiratory function, muscle strength).

Criteria for Initial Approval:

Late-onset Pompe disease

Authorization may be granted for treatment of late-onset Pompe disease when ALL the following criteria are met:

- 1. Member is 18 years of age or older.
- 2. Member weighs greater than or equal to 40 kg.

			♥aetna ™				
AETNA BE	ETTER HEALTH®						
Coverage Policy/Guideline							
Name:	POMBILITI (cip	aglucosidase alfa-atga)	Page:	2 of 2			
Effective Date: 7/15/2024			Last Review Date:	5/2024			
Applies to:		□ Florida	☐ New Jersey				
		⊠ Florida Kids	🛮 Pennsylvania Kids				
	☐ Michigan	⊠ Virginia	☐ Kentucky PRMD				

- 3. Diagnosis was confirmed by enzyme assay demonstrating a deficiency of acid alpha-glucosidase enzyme activity or by genetic testing.
- 4. The requested medication will be taken in combination with Opfolda (miglustat).
- 5. Member is not improving on current enzyme replacement therapy (ERT) (e.g., Lumizyme, Nexviazyme).

Continuation of Therapy Late-onset Pompe disease

Authorization may be granted for continued treatment in members requesting reauthorization when the following criteria is met:

A. Member is responding to therapy (e.g., improvement, stabilization, or slowing of disease progression for motor function, walking capacity, respiratory function, or muscle strength).

Approval Duration and Quantity Restrictions:

Initial and Renewal: 12 months

Quantity Level Limit: Reference Formulary for drug specific quantity level limits

References:

1. Pombiliti [package insert]. Philadelphia, PA: Amicus Therapeutics US, LLC; September 2023.