



MEDICARE FORM

Avsola™ (infliximab-axxq) Injectable Medication Precertification Request

Page 1 of 5

(All fields must be completed and legible for precertification review.)

Virginia (HMO D-SNP)
FAX: 1-833-280-5224
PHONE: 1-855-463-0933

For other lines of business:
Please use other form.

Note: Avsola is non-preferred.
Preferred products vary based
on indication and plan type.
See section G below.

Please indicate: [] Start of treatment: Start date ___/___/___
[] Continuation of therapy: Date of last treatment ___/___/___

Precertification Requested By: _____ Phone: _____ Fax: _____

A. PATIENT INFORMATION

Form section A containing fields for Patient Information: First Name, Last Name, Address, City, State, ZIP, Home Phone, Work Phone, Cell Phone, DOB, Allergies, E-mail, Current Weight, Height.

B. INSURANCE INFORMATION

Form section B containing fields for Insurance Information: Aetna Member ID #, Group #, Insured, Medicare, Medicaid, and other coverage details.

C. PRESCRIBER INFORMATION

Form section C containing fields for Prescriber Information: First Name, Last Name, Address, City, State, ZIP, Phone, Fax, St Lic #, NPI #, DEA #, UPIN, Office Contact Name, and Specialty.

D. DISPENSING PROVIDER/ADMINISTRATION INFORMATION

Form section D containing fields for Dispensing Provider/Pharmacy: Place of Administration, Dispensing Provider/Pharmacy details, Name, Address, City, State, ZIP, Phone, Fax, TIN, PIN, NPI.

E. PRODUCT INFORMATION

Form section E containing fields for Product Information: Request is for: Avsola (infliximab-axxq) Dose, Frequency.

F. DIAGNOSIS INFORMATION – Please indicate primary ICD Code and specify any other where applicable.

Form section F containing fields for Diagnosis Information: Primary ICD Code, Secondary ICD Code, Other ICD Code.

G. CLINICAL INFORMATION – Required clinical information must be completed in its entirety for all precertification requests.

Form section G containing clinical information: For All Requests (clinical documentation required for all requests), Note: Avsola is non-preferred, and various checkboxes for patient history and medical reasons.



MEDICARE FORM

Avsola™ (infliximab-axxq) Injectable Medication Precertification Request

Page 2 of 5

(All fields must be completed and legible for precertification review.)

Virginia (HMO D-SNP)
FAX: 1-833-280-5224
PHONE: 1-855-463-0933

For other lines of business:
Please use other form.

Note: Avsola is non-preferred.
Preferred products vary based on indication and plan type.
See section G below.

Patient First Name	Patient Last Name	Patient Phone	Patient DOB
--------------------	-------------------	---------------	-------------

G. CLINICAL INFORMATION (continued) – Required clinical information must be completed in its entirety for all precertification requests.

Please explain if there are any other medical reason(s) that the patient cannot use any of the following preferred products when indicated for the patient's diagnosis (select all that apply)

- Enbrel (etanercept)
 Humira (adalimumab)
 Kevzara (sarilumab)
 Otezla (apremilast)
 Rinvoq (upadacitinib)
 Skyrizi (risankizumab-rzaa)
 Xeljanz/Xeljanz XR (tofacitinib)

Yes No Will the requested drug be used in combination with any other biologic or targeted synthetic disease-modifying anti-rheumatic drug (DMARD) (e.g., Olumiant, Xeljanz)?
 Yes No Has the patient received a biologic or targeted synthetic DMARD (e.g., Rinvoq, Xeljanz) in the past?
 Yes No Has the patient been tested for TB with a PPD test, interferon-release assay (IGRA) or chest x-ray within 6 months of initiating a biologic therapy?
 (Check all that apply): PPD test interferon-gamma assay (IGRA) chest x-ray
 Please enter the results of the TB test: positive negative unknown
If positive, Does the patient have latent or active TB? latent active unknown
If latent TB, Yes No Has treatment for latent tuberculosis (TB) infection been initiated or completed?
 Please select: treatment initiated treatment completed
 Yes No Does the patient have risk factors for TB?
 Yes No Has the patient been tested for tuberculosis (TB) within the previous 12 months?
 (Check all that apply): PPD test interferon-gamma assay (IGRA) chest x-ray
 Please enter the results of the TB test: positive negative unknown
If positive, Does the patient have latent or active TB? latent active unknown
If latent TB, Yes No Has treatment for latent tuberculosis (TB) infection been initiated or completed?
 Please select: treatment initiated treatment completed

For Initiation Requests:

Ankylosing spondylitis or axial spondyloarthritis

Please select which of the following applies to the patient: Active ankylosing spondylitis (AS) Active axial spondyloarthritis

- Yes No Has the patient previously received a biologic indicated for active ankylosing spondylitis?
 Yes No Has the patient experienced an inadequate response with at least TWO nonsteroidal anti-inflammatory drugs (NSAIDs), or has an intolerance or contraindication to at least two NSAIDs?

Please indicate the preferred alternatives for ankylosing spondylitis (AS) or axial spondyloarthritis that have been ineffective, not tolerated, or are contraindicated:

- Cosentyx Enbrel Humira Remicade Simponi Aria

Behçet's syndrome

- Yes No Has the patient received Otezla or a biologic indicated for the treatment of Behçet's disease?
 Yes No Has the patient had an inadequate response to at least one nonbiologic medication for Behçet's disease (e.g., colchicine, systemic glucocorticoids, azathioprine)?

Crohn's disease

- Yes No Has the patient been diagnosed with moderately to severely active Crohn's disease (CD)?
 Yes No Does the patient have fistulizing Crohn's disease?
 Yes No Has the patient previously received a biologic indicated for moderately to severely active Crohn's disease?
 Yes No Has the patient tried and had an inadequate response to at least one conventional therapy option?
 Yes No Does the patient have a contraindication or intolerance to at least one conventional therapy option (e.g., azathioprine [Azasan, Imuran], budesonide [Entocort EC], ciprofloxacin [Cipro], mercaptopurine [Purinethol], methylprednisolone [Solu-Medrol], methotrexate, metronidazole [Flagyl], prednisone, sulfasalazine [Azulfidine, Sulfazine], rifaximin [Xifaxan], tacrolimus)?
 Please select: Sulfasalazine (Azulfidine, Sulfazine) Metronidazole (Flagyl) Ciprofloxacin (Cipro) Prednisone Budesonide (Entocort EC) Azathioprine (Azasan, Imuran) Mercaptopurine (Purinethol) Methotrexate Methylprednisolone (Solu-Medrol) Rifaximin (Xifaxan) Tacrolimus

Please indicate the preferred alternatives for Crohn's disease that have been ineffective, not tolerated, or are contraindicated:

- Humira Entyvio Remicade Stelara (intravenous formulation)

Granulomatosis with polyangiitis (Wegener's granulomatosis)

- Yes No Has the patient experienced an inadequate response with corticosteroids or immunosuppressive therapy (e.g., cyclophosphamide, azathioprine, methotrexate, or mycophenolate mofetil)?
 Yes No Has the patient experienced an intolerance to corticosteroids and immunosuppressive therapy (e.g., cyclophosphamide, azathioprine, methotrexate, or mycophenolate mofetil)?
 Yes No Does the patient have a contraindication to corticosteroids and immunosuppressive therapy (e.g., cyclophosphamide, azathioprine, methotrexate, or mycophenolate mofetil)?

Continued on next page



MEDICARE FORM

Avsola™ (infliximab-axxq) Injectable Medication Precertification Request

Page 3 of 5

(All fields must be completed and legible for precertification review.)

Virginia (HMO D-SNP)
FAX: 1-833-280-5224
PHONE: 1-855-463-0933

For other lines of business:
Please use other form.

Note: Avsola is non-preferred.
Preferred products vary based
on indication and plan type.
See section G below.

Table with 4 columns: Patient First Name, Patient Last Name, Patient Phone, Patient DOB

G. CLINICAL INFORMATION (continued) - Required clinical information must be completed in its entirety for all precertification requests.

Hidradenitis suppurativa

- Has the patient been diagnosed with severe, refractory hidradenitis suppurativa?
Has the patient previously received a biologic medication indicated for the treatment of severe, refractory hidradenitis suppurativa?
Has the patient experienced an inadequate response after at least 90 days of treatment with oral antibiotics?
Has the patient experienced an intolerable adverse effect to oral antibiotics?
Does the patient have a contraindication to oral antibiotics?
Has the patient had an ineffective response, contraindication or intolerance to Humira?

Juvenile idiopathic arthritis

- Has the patient previously received a biologic indicated for juvenile idiopathic arthritis?
Has the patient experienced an inadequate response to ANY of the following?
Please select: At least 1-month trial of NSAIDs, At least 2 weeks of treatment with corticosteroids (e.g., prednisone, methylprednisolone), At least 3 months of treatment with methotrexate, At least 3 months of treatment with leflunomide
Has the patient had an ineffective response, contraindication or intolerance to Humira?
Has the patient had an ineffective response, contraindication or intolerance to Enbrel?

Immune checkpoint inhibitor toxicity

- Has the patient experienced an inadequate response to corticosteroids?
Does the patient have cardiac toxicity?

Plaque psoriasis

- Has the patient been diagnosed with chronic, severe plaque psoriasis?
Has the patient previously received Otezla or any other biologic medication indicated for the treatment of chronic, severe plaque psoriasis?
What is the percentage of body surface area (BSA) affected (prior to starting the requested medication)?
Please select: Less than 3% of BSA, Greater than or equal to 3% of BSA
Are crucial body areas (e.g., hands, feet, face, neck, scalp, genitals/groin, intertriginous areas) affected?
Has the patient experienced an inadequate response, or has an intolerance to phototherapy (e.g., UVB, PUVA) or pharmacologic treatment with methotrexate, cyclosporine or acitretin?
Does the patient have a clinical reason to avoid pharmacologic treatment with methotrexate, cyclosporine and acitretin?
Does the patient have severe psoriasis that warrants a biologic DMARD as first-line therapy (i.e. at least 10% of the body surface area (BSA) or crucial body areas (e.g., hands, feet, face, neck, scalp, genitals/groin, intertriginous areas) are affected)?
Please indicate clinical reason to avoid pharmacologic treatment: Alcoholism, alcoholic liver disease or other chronic liver disease, Breastfeeding, Cannot be used due to risk of treatment-related toxicity, Drug interaction with traditional systemic agent, Pregnancy or planning pregnancy, Significant comorbidity prohibits use of systemic agents (e.g., liver or kidney disease, blood dyscrasias, uncontrolled hypertension), Other reason to avoid pharmacologic treatment
Does the patient have severe psoriasis that warrants a biologic DMARD as first-line therapy (i.e. at least 10% of the body surface area (BSA) or crucial body areas (e.g., hands, feet, face, neck, scalp, genitals/groin, intertriginous areas) are affected)?

Please indicate the preferred alternatives for plaque psoriasis that have been ineffective, not tolerated, or are contraindicated:

- Humira, Ilumya, Otezla, Remicade, Skyrizi, Stelara, Taltz, Tremfya

Psoriatic arthritis

- Has the patient been diagnosed with active psoriatic arthritis (PsA)?
Please indicate the preferred alternatives for psoriatic arthritis that have been ineffective, not tolerated, or are contraindicated:
Cosentyx, Enbrel, Humira, Otezla, Remicade, Simponi Aria

Pyoderma gangrenosum

- Has the patient previously received a biologic medication indicated for the treatment of pyoderma gangrenosum?
Has the patient experienced an inadequate response with corticosteroids or immunosuppressive therapy (e.g., cyclosporine or mycophenolate mofetil)?
Has the patient experienced an intolerance to corticosteroids and immunosuppressive therapy (e.g., cyclosporine or mycophenolate mofetil)?
Does the patient have a contraindication to corticosteroids and immunosuppressive therapy (e.g., cyclosporine mycophenolate mofetil)?

Continued on next page



MEDICARE FORM

Avsola™ (infliximab-axxq) Injectable Medication Precertification Request

Page 4 of 5

(All fields must be completed and legible for precertification review.)

Virginia (HMO D-SNP)
FAX: 1-833-280-5224
PHONE: 1-855-463-0933

For other lines of business:
Please use other form.

Note: Avsola is non-preferred.
Preferred products vary based on indication and plan type.
See section G below.

Patient First Name Patient Last Name Patient Phone Patient DOB

G. CLINICAL INFORMATION (continued) - Required clinical information must be completed in its entirety for all precertification requests.

Reactive arthritis

Has the patient previously received a biologic medication indicated for the treatment of reactive arthritis?
Has the patient experienced an inadequate response after at least 3 months of treatment with methotrexate titrated 20 mg per week?
Has the patient experienced intolerance to methotrexate?
Does the patient have a contraindication to methotrexate?
Please indicate the contraindication: History of intolerance or adverse event, Alcoholism, alcoholic liver disease or other chronic liver disease, Elevated liver transaminases, Interstitial pneumonitis or clinically significant pulmonary fibrosis, Renal impairment, Pregnancy or planning pregnancy, Breastfeeding, Blood dyscrasias (e.g., thrombocytopenia, leukopenia, significant anemia), Myelodysplasia, Hypersensitivity, Significant drug interaction, Other

Rheumatoid arthritis

Has the patient been diagnosed with moderately to severely active rheumatoid arthritis (RA)?
Has the patient previously received a biologic or targeted synthetic disease modifying drug (e.g., Xeljanz) indicated for moderately to severely active rheumatoid arthritis?
Is the requested medication being prescribed in combination with methotrexate or leflunomide?
Please indicate a clinical reason for the patient to not use methotrexate or leflunomide: History of intolerance or adverse event, Alcoholism, alcoholic liver disease or other chronic liver disease, Elevated liver transaminases, Interstitial pneumonitis or clinically significant pulmonary fibrosis, Renal impairment, Pregnancy or planning pregnancy, Breastfeeding, Blood dyscrasias (e.g., thrombocytopenia, leukopenia, significant anemia), Myelodysplasia, Hypersensitivity, Significant drug interaction
Does the patient have other reason or no clinical reason not to use methotrexate or leflunomide?
Please explain:
Has the patient experienced an inadequate response after at least 3 months of treatment with the methotrexate dose greater than or equal to 20 mg per week?
Has the patient experienced intolerance to methotrexate?
Does the patient have a contraindication to methotrexate?
Please indicate the contraindication: History of intolerance or adverse event, Alcoholism, alcoholic liver disease or other chronic liver disease, Elevated liver transaminases, Interstitial pneumonitis or clinically significant pulmonary fibrosis, Renal impairment, Pregnancy or planning pregnancy, Breastfeeding, Blood dyscrasias (e.g., thrombocytopenia, leukopenia, significant anemia), Myelodysplasia, Hypersensitivity, Significant drug interaction, Other, No clinical reason not to use methotrexate or leflunomide
Is the requested medication being prescribed in combination with methotrexate or leflunomide?
Please indicate a clinical reason for the patient to not use methotrexate or leflunomide: History of intolerance or adverse event, Alcoholism, alcoholic liver disease or other chronic liver disease, Elevated liver transaminases, Interstitial pneumonitis or clinically significant pulmonary fibrosis, Renal impairment, Pregnancy or planning pregnancy, Breastfeeding, Blood dyscrasias (e.g., thrombocytopenia, leukopenia, significant anemia), Myelodysplasia, Hypersensitivity, Significant drug interaction, Other, No clinical reason not to use methotrexate or leflunomide

Please indicate the preferred alternatives for rheumatoid arthritis have been ineffective, not tolerated, or are contraindicated:

- Enbrel Humira Kevzara Orenzia Remicade Rinvoq Simponi Aria Xeljanz/Xeljanz XR

Sarcoidosis

Has the patient experienced an inadequate response with corticosteroids or immunosuppressive therapy?
Has the patient experienced an intolerance to corticosteroids and immunosuppressive therapy?
Does the patient have a contraindication to corticosteroids and immunosuppressive therapy?

Takayasu's arteritis

Has the patient experienced an inadequate response with corticosteroids or immunosuppressive therapy (e.g., methotrexate, azathioprine, or mycophenolate mofetil)?
Has the patient experienced an intolerance to corticosteroids and immunosuppressive therapy (e.g., methotrexate, azathioprine, or mycophenolate mofetil)?
Does the patient have a contraindication to corticosteroids and immunosuppressive therapy (e.g., methotrexate, azathioprine, or mycophenolate mofetil)?

Continued on next page



MEDICARE FORM

Avsola™ (infliximab-axxq) Injectable Medication Precertification Request

Page 5 of 5

(All fields must be completed and legible for precertification review.)

Virginia (HMO D-SNP)
FAX: 1-833-280-5224
PHONE: 1-855-463-0933

For other lines of business:
Please use other form.

Note: Avsola is non-preferred.
Preferred products vary based
on indication and plan type.
See section G below.

Patient First Name Patient Last Name Patient Phone Patient DOB

G. CLINICAL INFORMATION (continued) - Required clinical information must be completed in its entirety for all precertification requests.

Ulcerative colitis

Flowchart for Ulcerative colitis:
- Has the patient been diagnosed with moderately to severely active ulcerative colitis (UC)?
- Has the patient been hospitalized for fulminant ulcerative colitis...?
- Has the patient previously received a biologic or targeted synthetic disease modifying drug...?
- Has the patient tried and had an inadequate response to at least one conventional therapy option?
- Does the patient have a contraindication or intolerance to at least one conventional therapy option...?
- Please select: Azathioprine, Corticosteroid, Cyclosporine, Mesalamine, Mercaptopurine, Sulfasalazine, Tacrolimus, Metronidazole/Ciprofloxacin

Please indicate the preferred alternatives for ulcerative colitis that have been ineffective, not tolerated, or are contraindicated:

Humira Entyvio Remicade Xeljanz Stelara (intravenous formulation)

Uveitis

Flowchart for Uveitis:
- Has the patient previously received a biologic medication indicated for the treatment of uveitis?
- Has the patient experienced an inadequate response with corticosteroids or immunosuppressive therapy...?
- Has the patient experienced an intolerance to corticosteroids and immunosuppressive therapy...?
- Does the patient have a contraindication to corticosteroids and immunosuppressive therapy...?
- Has the patient had an ineffective response, contraindication or intolerance to Humira?

For Continuation Requests:

Is the patient currently receiving the requested drug through samples or a manufacturer's patient assistance program?
Has the patient achieved or maintained positive clinical response as evidenced by low disease activity or improvement in signs and symptoms since starting treatment with the requested drug?

H. ACKNOWLEDGEMENT

Request Completed By (Signature Required): Date: / /

Any person who knowingly files a request for authorization of coverage of a medical procedure or service with the intent to injure, defraud or deceive any insurance company by providing materially false information or conceals material information for the purpose of misleading, commits a fraudulent insurance act, which is a crime and subjects such person to criminal and civil penalties.

The plan may request additional information or clarification, if needed, to evaluate requests.